



INDIAN FDA APPROVED



Leader in Surgical Goods

Distributorship & Marketing by :
DAFFODIL SURGICAL
1A-268, Neelam Bata Road,
Faridabad-121001, Haryana
E-mail : info@daffodilsurgical.com
Web : www.daffodilsurgical.com
Ph : 9625442912, 9811738183



Austeofix Surgical Pvt. Ltd.

A Perfect Fixation

AN ISO 9001:2015, ISO 13485:2016, CE & GMP CERTIFIED COMPANY





2.7 mm D. C. Plate
 Mat:- S. S. Cat No.: S.100.5-10
 Size:- 5-10 Hole



1/3 Tubular Plate
 Mat:- S. S. / Titanium
 Cat No.: S.122.3-10 / T.122.3-10
 Size:- 4-10 Hole



Small D.C.P.
 Mat:- S. S. / Titanium
 Cat No.: S.119.4-13 / T.116.4-13
 Size:- 4-13 Hole



Reconstruction Plate 3.5 mm
 Mat:- S. S. / Titanium
 Cat No.: S.124.5-14 / T.124.5-14
 Size:- 5 - 14 Hole



T- Plate 3.5 mm
 Mat:- S. S. / Titanium
 Cat No.: S.125.3-9 / T.125.3-9
 Size:- 3-9 Hole



Oblique T- Plate 3.5 mm
 Mat:- S. S. / Titanium
 Cat No.: S.126.3-9 / T.126.3-9
 Size:- 3-9 Hole



Broad DCP
 Mat:- S. S. / Titanium
 Cat No.: S.118.6-14 / T.118.6-14
 Size:- 6-14 Hole



Narrow DCP
 Mat:- S. S. / Titanium
 Cat No.: S.120.5-12 / T.117.5-14
 Size:- 5-14 Hole



Semi Tubular Plate
 Mat:- S. S. Cat No.: S.123.4-10
 Size:- 4-10 Hole



D.H.S. Plate
 Mat:- S. S. / Titanium
 Cat No.: S.136.4-12 / T.136.4-12
 Size:- 3-12 Hole



Pediatric D.H.S. Plate
 Mat:- S. S. Cat No.: S.138.4-10
 Size:- 4-10 Hole



Lag Screw
 Mat:- S. S. / Titanium
 Cat No.: S.141.50-110 / T.141.50-110
 Size:- 50-110 MM



Pediatric Lag Screw
 Mat:- S. S. Cat No.: S.142.50-100
 Size:- 50-100 MM



D.C.S. Plate 95°
 Mat:- S. S. / Titanium
 Cat No.: S.140.6-14 / T.140.6-14
 Size:- 6-14 Hole



T-Plate 4.5 mm
 Mat:- S. S. Cat No.: S.127.4-10
 Size:- 4-10 Hole



T Butterress Plate
 Mat:- S. S. Cat No.: S.128.4-10
 Size:- 4-10 Hole



L-Butterress Plate
 Mat:- S. S. Cat No.: S.129/130.L/R.4-10
 Size:- 4-10 Hole



Cloverleaf Plate
 Mat:- S. S. Cat No.: S.133.4-10
 Size:- 4-10 Hole



Cortical Screw 2.4 mm
 Mat:- S. S. / Titanium
 Cat No.: S.100.12-30 / T.100.12-30
 Size:- 12-30 MM



Cortical Screw 2.7 mm
 Mat:- S. S. / Titanium
 Cat No.: S.101.12-38 / T.101.12-38
 Size:- 12-38 MM



Cortical Screw 3.5 mm
 Mat:- S. S. / Titanium
 Cat No.: S.102.10-50 / T.102.10-50
 Size:- 10-50 MM



Cortical Screw 4.5 mm
 Mat:- S. S. / Titanium
 Cat No.: S.103.12-60 / T.103.12-60
 Size:- 12-60 MM



Cancellous Screw 4 mm
 Mat:- S. S. / Titanium
 Cat No.: S.105/106.14-65 / T.105/106.14-65
 Size:- 14-65 MM



Cancellous Screw 6.5 mm
 Mat:- S. S. / Titanium
 Cat No.: S.107/108/109.25-115 / T.107/108/109.25-115
 Size:- 25-115 MM



Cannulated Screw 4 mm
 Mat:- S. S. / Titanium
 Cat No.: S.110/111.12-60 / T.110.12-60
 Size:- 12-60 MM



Cannulated Screw 6.5 mm
 Mat:- S. S. / Titanium
 Cat No.: S.112/113.30-115 / T.112/113.30-115
 Size:- 30-115 MM



Herbert Screw 2.8 mm
 Mat:- S. S. / Titanium
 Cat No.: S.114.28.12-35 / T.114.28.12-35
 Size:- 12-35 MM



Herbert Screw 3.5 mm
 Mat:- S. S. / Titanium
 Cat No.: S.114.35.12-35/ T.114.35.12-35
 Size:- 12-35 MM



Malleolar Screw
 Mat:- S. S. Cat No.: S.104.25-85
 Size:- 25-85 MM



Washer Small - for 4 mm cc Screw
 Mat:- S. S. / Titanium
 Cat No.: S.115.007/ T.115.007



Washer Large - for 7 mm cc Screw
 Mat:- S. S. / Titanium
 Cat No.: S.115.013/ T.115.013



Kirschner Wire Double Ended (Trotar Tip)
 Mat:- S. S. Cat No.: S.165-166-167
 Length : 150 MM, 225 MM, 300 MM
 DIA : 0.8 MM, 3 MM




Encerclage Wire
 Mat:- S. S. Cat No.: S.168
 DIA : 0.8 MM, 1.2 MM



Steinman Pin
 Mat:- S. S. Cat No.: S.170.3.5
 Size : 3.5 MM



Steinman Pin
 Mat:- S. S. Cat No.: S.170.4.5
 Size : 4.5 MM



Single Pin Distractor (m4)
 Mat:- S. S. Cat No.: S.177.DSP.60-75
 Length : 60-75 MM
 Size : 4 MM




Double Pin Distractor (m6)
 Mat:- S. S. Cat No.: S.177.DD6.150-350
 Length : 150 MM - 350 MM
 Size : 6 MM




Universal Clamp (DLX)
 Mat:- S. S. Cat No.: S.175.45.11
 Size : Universal




Tube to Tube Clamp
 Mat:- S. S. Cat No.: S.175.TTC
 Size : Universal



Tubular Rod
 Mat:- S. S. Cat No.: S.175.11.150-400
 Dia : 11 MM
 Length : 150-400 MM



Mini Single Pin Clamp
 Mat:- S. S. Cat No.: S.175.35.40
 Size : 3.5 MM - 4 MM



Aesculap Clamp
 Mat:- S. S. Cat No.: S.176-177
 Size : Small & Large



Link Joint
 Mat:- S. S. Cat No.: S.177.V.LI
 Size : Small / Medium / Large



Knurled Rods
 Mat:- S. S. Cat No.: S.177.KR
 Length : 150-350 MM
 Size : 2.0 MM - 4.0 MM



Schanz Pin
 Mat:- S. S. Cat No.: S.171.35.150
 Size : 3.5 MM
 Length : 150 MM



Schanz Pin
 Mat:- S. S. Cat No.: S.171.35.40.150
 Size : 3.5 MM - 4 MM
 Length : 150 MM



Cancellous Schanz Screw
 Mat:- S. S. Cat No.: S.172.65.16/25/32.225
 Length : 225 MM
 Size : 4.5 MM



Tapered Schanz Screw
 Mat:- S. S. Cat No.: S.173.6.32.52
 Length : 150-200 MM
 Size : 6 MM




1/3 Tubular Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L212.05-10 / T227.05-10
 Size:- 5 hole to 10 hole



Small Locking Plate 3.5 mm
 Mat:- S. S. / Titanium
 Cat No.: L213.05-12 / T228.04-12
 Size:- 4 hole to 12 hole



Recon Locking Plate 3.5 mm
 Mat:- S. S. / Titanium
 Cat No.: L214.04-14 / T236.04-14
 Size:- 4 hole to 14 hole



T- Locking Plate 3.5 mm
 Mat:- S. S. / Titanium
 Cat No.: L217.03-07 / T239.03-07
 Size:- 3 hole to 7 hole



T- Locking Plate Oblique Angle 3.5 mm
 Mat:- S. S. / Titanium
 Cat No.: L215/216.03-07 / T237/238.03-07
 Size:- 3 hole to 7 hole



Narrow DCP Locking
 Mat:- S. S. / Titanium
 Cat No.: L218.05-14 / T229.05-14
 Size:- 5 hole to 14 hole



Broad DCP Locking
 Mat:- S. S. / Titanium
 Cat No.: L219.05-14 / T230.05-14
 Size:- 5 hole to 14 hole



T Plate Locking
 Mat:- S. S. / Titanium
 Cat No.: L208.03-10 / T222.04-10
 Size:- 4 hole to 10 hole



T Butterress Plate Locking
 Mat:- S. S. / Titanium
 Cat No.: L209.03-10 / T223.04-10
 Size:- 4 hole to 10 hole



L Butterress Plate Locking
 Mat:- S. S. / Titanium
 Cat No.: L210/211-03-10 / T224-225.03-10
 Size:- 3 hole to 10 hole



DHS Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L220-04-12 / T226-1354-12
 Size:- 4 hole to 12 hole



Lateral Tibia Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L221/222.05-13 / T231.L/R.05-13
 Size:- 5 hole to 13 hole



Distal Femur Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L226.05-15 / T.233-34.05-15
 Size:- 5 hole to 15 hole



Proximal Femur Locking Plate Spoon Type
 Mat:- S. S. / Titanium
 Cat No.: L228.05-13 / T.235.05-13
 Size:- 5 hole to 13 hole



Proximal Femur Locking Plate Hook Type
 Mat:- S. S. / Titanium
 Cat No.: L229.07-09 /
 Size:- 0 hole to 0 hole



Distal Humeral Dorso Lateral Locking Plate With Support
 Mat:- S. S. / Titanium
 Cat No.: L230-31.03-09 / T.240.03-09
 Size:- 3 hole to 9 hole



Distal Humeral Dorso Lateral Locking Plate With Support
 Mat:- S. S. / Titanium
 Cat No.: L232-33.03-09 / T.242-43.03-09
 Size:- 3 hole to 9 hole



Distal Humeral Medial Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L234-35.03-09 / T.244.03-09
 Size:- 3 hole to 9 hole



Distal Humeral Medial Metaphysial Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L236.07-11 / T.241.07-11
 Size:- 7 hole to 11 hole



Distal Humeral Extra Articular Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L237/238.05-11 / T.253-54.04-10
 Size:- 4 hole to 10 hole



Olecronon Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L239-240.04-08 / T.246-247.04-08
 Size:- 4 hole to 8 hole



Philos Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L242.03-11 / T.248.03-11
 Size:- 3 hole to 11 hole



Distal Tibia Medial Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L242-243.05-11 / T.249-250.03-11
 Size:- 3 hole to 11 hole



Proximal Tibia Posterior Medial Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L244.03-07 / T.232.04-04
 Size:- 4 hole to 7 hole



Anterolateral Distal Tibia Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L245-246.03-09 / T251-52.03-09
 Size:- 3 hole to 9 hole



Anatomical Proximal Tibia Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L247-248.04-10 / T.259-260.04-10
 Size:- 4 hole to 10 hole



Clavicle Medial Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L249-250.05-08 / T.255-256.05-08
 Size:- 5 hole to 8 hole



Superior Anterior Clavicle Locking Plate
 Mat:- S. S. / Titanium
 Cat No.: L251-252.03-05 / T.257-258.03-05
 Size:- 3 hole to 5 hole




Clavicle Hook Plate
 Mat:- S. S. / Titanium
 Cat No.: L253-54.04-05 / T.261-262.04-05
 Size:- 4 hole to 5 hole



Distal Fibula Locking Plate 3.5 mm
 Mat:- S. S. / Titanium
 Cat No.: L.223-224.04-05 / T.258.L/R.04-08
 Size:- 4 hole to 8 hole



Locking Screw 2.7 mm
 Mat:- S. S. / Titanium
 Cat No.: L.201.12-40 / T.120.12-40
 Size:- 12 -40 MM



Locking Screw 3.5 mm
 Mat:- S. S. / Titanium
 Cat No.: L.202.12-80 / T.121.12-80
 Size:- 12- 80 MM



Locking Screw 5mm
 Mat:- S. S. / Titanium
 Cat No.: L.204.20-80 / T.122.20-80
 Size:- 20 -80 MM



Cancellous Screw Locking 4mm
 Mat:- S. S. / Titanium
 Cat No.: L.206.15-80 / T.123.15-80
 Size:- 15-80 MM



Cancellous Screw Locking 5mm
 Mat:- S. S. / Titanium
 Cat No.: L.207.20-90 / T.124.20-90
 Size:- 20-90 MM



Cancellous Screw Locking 6.5 mm
 Mat:- S. S. / Titanium
 Cat No.: L.207.6.5.65-105 / T.125.65-105
 Size:- 65-105 MM

2.4mm Distal Radius System



Distal Radius Dorsal LCP - 2.4mm
Mat:- S. S. / Titanium
Cat No.: L.256.05-06 / T.263.05-06
Size:- 5, 6 Hole



Distal Radius Dorsal LCP-2.4mm
Head With 3 Hole
Mat:- S. S. / Titanium
Cat No.: L.257.03-04 / T.264.03-04
Size:- 3,4 hole



L Distal Radius Dorsal LCP-2.4mm (Left)
Head With 2 Hole
Mat:- S. S. / Titanium
Cat No.: L.258.03-04 / T.265.03-04
Size:- 3, 4 hole



L Distal Radius Dorsal LCP-2.4mm (Right)
Head With 2 Hole
Mat:- S. S. / Titanium
Cat No.: L.259.03-04 / T.266.03-04
Size:- 3,4 hole



L Distal Radius Dorsal LCP-2.4mm (Left)
Head With 3 Hole
Mat:- S. S. / Titanium
Cat No.: L.260.03-04 / T.267.03-04
Size:- 3,5 hole



L Distal Radius Dorsal LCP-2.4mm (Right)
Head With 3 Hole
Mat:- S. S. / Titanium
Cat No.: L.261.03-04 / T.268.03-04
Size:- 3,5 hole



L Distal Radius Dorsal Oblique Angles
LPC-2.4mm (Left) Head With 3 Hole
Mat:- S. S. / Titanium
Cat No.: L.262.03-04 / T.269.03-04
Size:- 3,4 hole



L Distal Radius Dorsal Oblique Angles
LPC-2.4mm (Right) Head With 3 Hole
Mat:- S. S. / Titanium
Cat No.: L.263.03-04 / T.270.03-04
Size:- 3,4 hole



Distal Radius Volar
LPC-2.4mm (Left) Head With 5 Hole
Mat:- S. S. / Titanium
Cat No.: L.264.03-05 / T.271.03-05
Size:- 3,5 Hole



Distal Radius Volar
LCP-2.4mm (Right) Head With 5 Hole
Mat:- S. S. / Titanium
Cat No.: L.265.03-05 / T.272.03-05
Size:- 3,5 Hole



Distal Radius Volar Extra Articular
LPC-2.4mm (Left) Head With 5 Hole
Mat:- S. S. / Titanium
Cat No.: L.266.03-05 / T.273.03-05
Size:- 3,5 Hole



Distal Radius Volar Extra Articular
LPC-2.4mm (Right) Head With 5 Hole
Mat:- S. S. / Titanium
Cat No.: L.267.03-05 / T.274.03-05
Size:- 3,5 Hole



Distal Radius Volar Extra Articular
LPC-2.4mm (Left) Head With 4 Hole
Mat:- S. S. / Titanium
Cat No.: L.268.03-05 / T.275.03-05
Size:- 3,5 Hole



Distal Radius Volar Extra Articular
LPC-2.4mm (Right) Head With 4 Hole
Mat:- S. S. / Titanium
Cat No.: L.269.03-05 / T.276.03-05
Size:- 3,5 Hole




Distal Radius Volar Plate Extra Articular
Extra Long LPC-2.4mm Head With 4 Hole
Mat:- S. S. / Titanium
Cat No.: L.270.08 / T.277.08
Size:- 12 Hole



Distal Radius Volar Buttress
LPC-2.4mm (Left) Head With 5 Hole
Mat:- S. S. / Titanium
Cat No.: L.271.03-05 / T.278.03-05
Size:- 3,5 hole



Distal Radius Volar Buttress
LPC-2.4mm (Right) Head With 5 Hole
Mat:- S. S. / Titanium
Cat No.: L.272.03-05 / T.279.03-05
Size:- 3,5 hole



Locking Screw 2.4 mm
Mat:- S. S. / Titanium
Cat No.: L.200.12-30 / T.119.12-30
Size:- 12 - 30 MM



SQ. Nail Ulna
 Mat:- S. S. Cat No.: S.145.U.2-3.5
 DIA : 2 MM - 3.5 MM



SQ. Nail Radius
 Mat:- S. S. Cat No.: S.145.R.2-3.5
 DIA : 2 MM - 3.5 MM



Enders Nail
 Mat:- S. S. Cat No.: S.143.2.5-4.5
 DIA :- 2.5 MM - 4.5 MM



Humerus Nail
 Mat:- S. S. Cat No.: S.147.6.7-7.5
 DIA : 6.7 MM - 7.5 MM
 Length : 20 CM - 30 CM



Locking Bolt 2.9 MM
 Mat:- S. S.
 Cat No.: S.164.20-44
 Size : 20 MM - 44 MM



Locking Bolt 3.4 MM
 Mat:- S. S. Cat No.: S.163.20-50
 Size : 20 MM - 50 MM



Elastic Nail
 Mat:- S. S. Cat No.:S.144.2-4.5
 DIA : 2 MM- 4.5 MM




Elastic Nail
 Mat:- Titanium Cat No.: T.144.2-4.5
 DIA : 2 MM- 4.5 MM



Basic Instrument Of Elastic Nail With Box



Tibia Interlocking Nail
 Mat:- S. S. / Titanium
 Cat No.: S.148/149/150 / T.148/149/150
 Length : 28 MM- 38 MM
 DIA : 8,9,10 MM



Femur Interlocking Nail
 Mat:- S. S. / Titanium
 Cat No.: S.151/152/153/154 / T.151/152/153/154
 Length : 34 CM - 44 CM
 DIA : 9,10,11,12 MM



Locking Bolt 3.9 MM
 Mat:- S. S. / Titanium
 Cat No.:S.162.24-50 / T.162.24-50
 Size : 24 MM - 50 MM



Locking Bolt 4.9 MM
 Mat:- S. S. / Titanium
 Cat No.: S.161.20-60 / T.161.20-60
 Size : 20 MM - 60 MM



Basic Instrument Of Tibia / Femur Nail




Implant Box With Screw Tray & Implant Tray



Trochanteric Femoral Nail (T.F.N.)
 Dia :- 9,10,11,12 mm Length 180 cm
 Mat.: S.S. / Titanium
 Cat No. S.155.09-12 / T.155.09-12



Proximal Femoral Nail (P.F.N.)
 Dia :- 9,10,11,12 mm Length 250 cm
 Mat.: S.S. / Titanium
 Cat No. S.156.09-12 / T.156.09-12



Proximal Femoral Nail (P.F.N.) L/R
 Dia :- 9,10,11,12 mm Length 36,38,40,42,44 cm
 Mat.: S.S. / Titanium
 Cat No. (R) S.157.09-12 / T.157.09-12
 Cat No. (L) S.158.09-12 / T.158.09-12



Proximal Bolt 8.0mm
 Size :- 50-120mm
 Cat No:- S.S.-S.160.50-120
 Tit:- T.160.50-120




Proximal Bolt 6.4mm
 Size:-50-120mm
 Cat No :- S.S.- S.159.50-120
 Tit:- T.159.50-120




Locking Bolt 4.9mm
 Size:- 20-60mm
 Cat No :- S.S.- S.161.20-60
 Tit:- T.161.20-60




Basic Instrument Of Proximal Femur Nail




Implant Box With Screw Tray & Implant Tray




Monoaxial Screw
 Mat:- Titanium
 Cat No.: SPI-MS45/55/65.25-50
 Dia:- 4.5/5.5/6.5 MM
 Length : 25-50 MM



Monoaxial Screw Dual Core
 Mat:- Titanium
 Cat No.: SPI-MSDC45/55/65.25-51
 Dia:- 4.5/5.5/6.5 MM
 Length : 25-50 MM



Polyaxial Screw
 Mat:- Titanium
 Cat No.: SPI-PS45/55/65.25-52
 Dia:- 4.5/5.5/6.5 MM
 Length : 25-50 MM



Polyaxial Screw Dual Core
 Mat:- Titanium
 Cat No.: SPI-PSDC45/55/65.25-53
 Dia:- 4.5/5.5/6.5 MM
 Length : 25-50 MM



Reduction Screw
 Mat:- Titanium
 Cat No.: SPI-RS45/55/65.25-54
 Dia:- 4.5/5.5/6.5 MM
 Length : 25-50 MM



Reduction Screw Dual Core
 Mat:- Titanium
 Cat No.: SPI-RSDC45/55/65.25-55
 Dia:- 4.5/5.5/6.5 MM
 Length : 25-50 MM




Connecting Rods
 Mat:- Titanium
 Cat No.: SPI-CR55.50-350
 Dia:- 5.5 MM
 Length : 50-350 MM



Transverse Connector Set
 Mat:- Titanium
 Cat No.: SPI-TCS
 Length : 50-350 MM



Polyaxial Lateral Mass Screw
 Mat:- Titanium
 Cat No.: SPI-LMS-3510-34
 Dia:- 3.5 MM
 Length : 10-34 MM



Connecting Rod for Lateral Mass
 Mat:- Titanium
 Cat No.: SPI-CR35.50-350
 Dia:- 3.5 MM
 Length : 50-350 MM



Occipital Plate
 Mat:- Titanium
 Cat No.: SPI-OP
 Size:- 7 Hole
 Length : 28-50 MM



Cervical Plate
 Mat:- Titanium
 Cat No.: SPI-CP
 Size:- 17.5 MM
 Length : 22-70 MM



Expandable Cage
 Mat:- Titanium
 Cat No.: SPI-EXC12-18
 Dia:- 12-18 MM
 Length : 12-60 MM






Eco Cage
 Mat:- Titanium
 Cat No.: SPI-EC12-18
 Dia:- 12-18 MM





T Lif Cage (Kidney Cage)
 Mat:- Titanium
 Cat No.: SPI-TLC-7-11
 Degree : 4,8,11
 Thickness : 7-11 MM





P Lif Cage (Bullet Cage)
 Mat:- Titanium
 Cat No.: SPI-PLC-7-11
 Length : 20 & 25 MM
 7-11 MM






Universal Spine System Instrument Set



P Lif Cage Instrument Set



T Lif Cage Instrument Set



Posterior Cervical Screw Set

AUSTEOFIX CERTIFICATES



ISO 9001:2015



ISO 13485:2016



CE



GMP



Austeofix Surgical Pvt. Ltd.

Sales Office : C-6, Pearl Pride, Vivekanand Marg, C-Scheme, Jaipur-302005 (Raj.) India
Ph. : +91-141-4010028, 4010029 | info@austeofix.com, www.austeofix.com

Manufacturing Unit : Plot No:- 1999 M.I.E Part-B, Bahadurgarh (Jhajjar), Haryana-124507
Mfg DL. No. : 707 - B (H)